

Publikationen 2001

Anästhesieabteilung

**Universitäts-Kinderkliniken Zürich
(Eleonorenstiftung)**

a) Originalarbeiten (alle mit Peer Review)

- 1) **Neff TA**, Fischer J, Schulz G, Baenziger O, **Weiss M**. Infusion pump performance with vertical displacement: effect of syringe pump and assembly type. *Intensive Care Med* 27:287-291, 2001.
- 2) **Weiss M**, Bernoulli L, Zolliger A. The NACA scale. Construct and predictive validity of the NACA-scale for prehospital severity rating in trauma patients. *Anaesthesist* 50:150-154, 2001.
- 3) **Schwarz U, Weiss M**. Endotracheale Intubation bei Patienten mit Pierre Robin – Sequenz. Erfolgreicher Einsatz eines Video-Laryngoskopes [Tracheal intubation in patients with Pierre Robin sequence. Successful use of a video intubation laryngoscope]. *Anaesthesist* 50:118-121, 2001.
- 4) **Neff T**, Fischer J, Fehr S, Baenziger O, **Weiss M**. Evaluation of the FASTART mode for reducing start-up delay in syringe pump infusion systems. *Swiss Med Wkly* 131:219-222, 2001.
- 5) **Weiss M, Schwarz U, Dillier C, Gerber AC**. Teaching and supervising tracheal intubation in paediatric patients using videolaryngoscopy. *Paediatr Anaesth* 11:343-348, 2001.
- 6) **Weiss M**, Fischer J, **Neff T**, Hug M, Baenziger O. Always flush the sampling port before flushing the arterial cannula in pediatric patients. *Acta Anaesthesiol Scand* 45:729-733, 2001.
- 7) Biro P, **Weiss M**. Comparison of two video-assisted techniques for the difficult intubation. *Acta Anaesthesiol Scand* 45:761-765, 2001.
- 8) **Weiss M, Schwarz U, Dillier C**, Fischer J, **Gerber AC**. Use of the intubating laryngeal mask in children: an evaluation using video-endoscopic monitoring. *Eur J Anaesthesiol* 18:739-744, 2001.

- 9) **Weiss M**, Hartmann K, Fischer J, **Gerber AC**. Video-intuboscopic assistance is a useful aid to tracheal intubation in pediatric patients.
Can J Anaesth 48:691-696, 2001.
- 10) **Weiss M, Hartmann K**, Fischer J, **Gerber AC**. Use of the angulated video-intubation laryngoscope in children undergoing manual in-line neck stabilisation.
Br J Anaesth 87:453-458, 2001.
- 11) **Neff T**, Fischer J, **Fehr S**, Baenziger O, **Weiss M**. Start-up delays of infusion syringe pumps.
Paediatr Anaesth 11:561-566, 2001.
- 12) **Weiss M**, Fischer J, Boeckmann M, Rohrer B, Baenziger O. Evaluation of a simple method for minimizing iatrogenic blood loss from discard volumes in critically ill newborns and children.
Intensive Care Med 27: 1064-1072, 2001.
- 13) Moenkhoff M, **Schwarz U, Gerber A**, Fanconi S, Baenziger O. The effects of Sevoflurane and Halothane anesthesia on cerebral blood flow velocity in children.
Anesth Analg 92:891-896, 2001.
- 14) **Gloor A, Dillier C, Gerber A**. Ketamine for short ambulatory procedures in children: an audit.
Paediatr Anaesth 11:533-9, 2001.