

**Publikationen 2007  
Anästhesieabteilung  
Universitäts-Kinderkliniken Zürich**

## A) Originalarbeiten

---

- 1 Boettcher-Haberzeth S, **Dullenkopf A**, Gitzelmann CA, **Weiss M**.  
Tracheal tube tip displacement during laparoscopy in children.  
*Anaesthesia* 2007; 62: 131-134.
- 2 **Neff SB**, Neff TA, **Gerber S**, **Weiss M**.  
Flow rate, syringe size and architecture are critical to start-up performance of syringe pumps.  
*Eur J Anaesthesiol.* 2007; 24: 602-608
- 3 **Weiss M**, Shorten G, **Stutz K**, Bernet V.  
Tracheal sealing by auto-inflation in tracheal tube cuffs.  
*Paediatr Anaesth.* 2007; 17: 243-248.
- 4 **Deanovic D**, **Gerber AC**, Dodge-Khatami A, **Dillier CM**, Meuli M, **Weiss M**.  
Tracheoscopy assisted repair of tracheo-esophageal fistula (TARTEF): a 10-year experience.  
*Paediatr Anaesth.* 2007; 17: 557-562.
- 5 Rouss K, **Gerber AC**, Albisetti M, Hug M, Bernet V.  
Long-term subcutaneous morphine administration after surgery in newborns.  
*J Perinat Med.* 2007; 35: 79-81.
- 6 Timmermann B, Schuck A, Niggli F, **Weiss M**, Lomax AJ, Pedroni E, Coray A, Jermann M, Rutz HP, Goitein G.  
Spot-scanning proton therapy for malignant soft tissue tumors in childhood: First experiences at the Paul Scherrer Institute.  
*Int J Radiat Oncol Biol Phys.* 2007; 67: 497-504.
- 7 Berger C, Hug M, Gysin C, Molinari L, **Frei M**, Bossart W, Nadal D.  
Distribution patterns of beta- and gamma-herpesviruses within Waldeyer's ring organs.  
*J Med Virol.* 2007; 79: 1147-1152.
- 8 Dullenkopf A, Baulig W, **Weiss M**, Schmid ER.  
Cerebral near-infrared spectroscopy in adult patients after cardiac surgery is not useful for monitoring absolute values but may reflect trends in venous oxygenation under clinical conditions.  
*J Cardiothorac Vasc Anesth.* 2007; 21: 535-539.
- 9 **Liechti M**, **Feurer R**, Gross D, **Schmitz A**, **Stutz K**, **Gerber AC**, **Weiss M**.  
Prevention of postoperative nausea and vomiting in children following adenotonsillectomy, using tropisetron with or without low-dose dexamethasone.  
*J Anesth.* 2007; 21: 311-316.
- 10 **Weiss M**, **Frei M**, **Bührer S**, **Feurer R**, Goitein G, Timmermann B.  
Deep Propofol sedation for vacuum-assisted bite-block immobilization in children undergoing proton radiation therapy of cranial tumors.  
*Paediatr Anaesth.* 2007; 17: 867-873.
- 11 **Buehrer S**, **Immoos S**, **Frei M**, Timmermann B, **Weiss M**.  
Evaluation of propofol for repeated prolonged deep sedation in children undergoing proton radiation therapy.  
*Br J Anaesth.* 2007; 99: 556-560.
- 12 Dodge-Khatami A, Knirsch W, Tomaske M, Prêtre R, **Bettex D**, Rousson V, Bauersfeld U.  
Spontaneous closure of small residual ventricular septal defects after surgical repair.  
*Ann Thorac Surg.* 2007; 83: 902-905.
13. Timmermann B, Lomax AJ, Nobile L, Grotzer MA, **Weiss M**, Kortmann RD, Bolsi A, Goitein G.  
Novel Technique of Craniospinal Axis Proton Therapy with the Spot-Scanning System: Avoidance of Patching Multiple Fields and Optimized Ventral Dose Distribution.  
*Strahlenther Onkol.* 2007; 183: 685-688.
14. Junge S, Kloeckener-Gruissem B, Zufferey R, Keisker A, **Salgo B**, Fauchere JC, Scherer F, Shalaby T, Grotzer M, Siler U, Seger R, Güngör T.  
Correlation between recent thymic emigrants and CD31+ (PECAM-1) CD4+ T cells in normal individuals during aging and in lymphopenic children.  
*Eur J Immunol.* 2007; 37: 3270-3280.

## **B) Reviews, Editorials**

---

- 1) **Weiss M, Dullenkopf A.**  
Cuffed tubes in children – Past, Presence, Future.  
Expert Rev Med Devices 2007; 4: 73-82.
- 2) **Weiss M, Gächter-Angehrn J, Neuhaus D.**  
Intraossäre Infusionstechnik.  
Notfall Rettungsmedizin 2007; 10: 99-116.
- 3) Eich C, **Weiss M**, Hüpfel M.  
Lebensrettende Massnahmen bei Kindern nach den aktuellen Leitlinien.  
Notfall Rettungsmedizin 2007; 10: 117-123.
- 4) Hoffmann F, **Deanovic D**, Becker A, **Weiss M**, Nicolai T.  
Der Kindernotarztkoffer.  
Notfall Rettungsmedizin 2007; 10: 124-134.
- 5) Becke K, Kranke P, **Weiss M**, Kretz FJ.  
Handlungsempfehlung zur Risikoeinschätzung, Prophylaxe und  
Therapie von postoperativem Erbrechen im Kindesalter.  
Anästh Intensivmed 2007; 48: 95-98.
- 6) **Weiss M, Gerber AC.**  
Anästhesieeinleitung und Intubation beim Kind mit vollem Magen – Zeit zum Umdenken.  
Anästhesist 2007; 56: 1210-1216.