

Publikationsliste

Winkler J, Rand ML, Schmutz M, Speer O.

Omi/HtrA2 and XIAP are components of platelet apoptosis signalling.
Thromb Haemost. 2013 Jan 10;109(3).

Troxler H, Kleinert P, Schmutz M, Speer O.

Advances in hemoglobinopathy detection and identification.
Adv Clin Chem. 2012;57:1-28.

Azzouzi I, Schmutz M, Speer O.

MicroRNAs as components of regulatory networks controlling erythropoiesis.
Eur J Haematol. 2012;89:1-9.

Haas T, Spielmann N, Mauch J, Speer O, Schmutz M, Weiss M.

Reproducibility of thrombelastometry (ROTEM«): point-of-care versus hospital laboratory performance.
Scand J Clin Lab Invest. 2012;72:313-7.

Haas T, Mauch J, Weiss M, Schmutz M.

Management of Dilutional Coagulopathy during Pediatric Major Surgery.
Transfus Med Hemother. 2012;39:114-119.

Winkler J, Kroiss S, Rand ML, Azzouzi I, Annie Bang KW, Speer O, Schmutz M.

Platelet apoptosis in paediatric immune thrombocytopenia is ameliorated by intravenous immunoglobulin.
Br J Haematol. 2012;156:508-15.

Haas T, Spielmann N, Mauch J, Madjdpour C, Speer O, Schmutz M, Weiss M.

Comparison of thromboelastometry (ROTEM«) with standard plasmatic coagulation testing in paediatric surgery.
Br J Anaesth. 2012;108:36-41.

Fiedler J, Strauss G, Wannack M, Schwiebert S, Seidel K, Henning K, Klopocki E, Schmutz M, Gae-
dicke G, Schulze H.

Two patterns of thrombopoietin signaling suggest no coupling between platelet production and throm-
bopoietin reactivity in thrombocytopenia-absent radii syndrome.
Haematologica. 2012;97:73-81.

Haas T, Korte W, Spielmann N, Mauch J, Madjdpour C, Schmutz M, Weiss M.

Perioperative course of FXIII in children undergoing major surgery.
Paediatr Anaesth. 2012;22:641-6.

Berntorp E, Shapiro AD, Waters J, Albisetti M, Astermark J et al.

International Factor IX Treatment Network. The international factor IX treatment network survey.
Haemophilia. 2012 May;18(3):e60-2.

Azzouzi I, Moest H, Winkler J, Fauchère JC, Gerber AP, Wollscheid B, Stoffel M, Schmugge M, Speer O. MicroRNA-96 directly inhibits γ -globin expression in human erythropoiesis. PLoS One. 2011;6(7):e22838. Epub 2011 Jul 28.

Rizzi M, Zurbriggen K, Schmid M, Goede JS, Nardi MA, Schmugge M, Speer O. A new α 1-globin mutation, Hb Brugg [α 20(B1)His \rightarrow Gln]. Hemoglobin. 2011;35(4):417-22.

Zurbriggen K, Schmid M, Schmugge M, Troxler H, Speer O. Hb Alperon [β 135(H13)Ala \rightarrow Val] shows decreased oxygen affinity. Hemoglobin. 2009;33(6):498-502.

Polianskyte Z, Peitsaro N, Dapkunas A, Liobikas J, Soliymani R, Lalowski M, Speer O, Seitsonen J, Butcher S, Cereghetti GM, Linder MD, Merckel M, Thompson J, Eriksson O. LACTB is a filament-forming protein localized in mitochondria. Proc Natl Acad Sci U S A. 2009 Nov 10;106(45):18960-5.

Paioni P, Kroiss S, Kägi E, Bergsträsser E, Fasnacht M, Bauersfeld U, Schmugge M, Albisetti M. Self-monitoring of oral anticoagulation therapy in children. Acta Haematol. 2009;122(1):58-63.

Revel-Vilk S, Blanchette VS, Schmugge M, Clark DS, Lillicrap D, Rand ML. In vitro and in vivo stability of diluted recombinant factor VIII for continuous infusion use in haemophilia A. Haemophilia. 2009 Sep 17. [Epub ahead of print]

Bauder F, Beinder E, Arlettaz R, Albisetti M, Boltshauser E, Gessler P. Intrauterine subdural hemorrhage in a preterm neonate possibly associated with maternal low-molecular weight heparin treatment. J Perinatol. 2009 Jul;29(7):521-3.

Engelhardt M, Haas PS, Theilacker C, Eber SW, Schmugge M, Kern WV, Heimpel H. Prevention of infections and thromboses after splenectomy or because of functional loss of the spleen Dtsch Med Wochenschr. 2009 Apr;134(17):897-902. Epub 2009 Mar 31. Review. German.

Hochuli M, Zurbriggen K, Schmid M, Speer O, Rochat P, Frauchiger B, Kleinert P, Schmugge M, Troxler H. A new alpha-globin variant with increased oxygen affinity in a Swiss family: Hb Frauenfeld [α 138(H21)Ser \rightarrow Phe, TCC>TTC (α 2)]. Hemoglobin. 2009;33(1):54-8.

Kaiser T, Kellenberger CJ, Albisetti M, Bergsträsser E, Valsangiacomo Buechel ER. Normal values for aortic diameters in children and adolescents--assessment in vivo by contrast-enhanced CMR-angiography. J Cardiovasc Magn Reson. 2008 Dec 5;10(1):56.

Young G, Albisetti M, Bonduel M, Brandao L, Chan A, Friedrichs F, Goldenberg NA, Grabowski E, Heller C, Journeycake J, Kenet G, Krümpel A, Kurnik K, Lubetsky A, Male C, Manco-Johnson M, Mathew P, Monagle P, van Ommen H, Simioni P, Svirin P, Tormene D, Nowak-Göttl U.

Impact of inherited thrombophilia on venous thromboembolism in children: a systematic review and meta-analysis of observational studies.

Circulation. 2008 Sep 23;118(13):1373-82. Epub 2008 Sep 8. Review.

Schmugge M, Waye JS, Basran RK, Zurbriggen K, Frischknecht H.

The Hb S/beta+ -thalassemia phenotype demonstrates that the IVS-I (-2) (A>C) mutation is a mild beta-thalassemia allele.

Hemoglobin. 2008;32(3):303-7.

Kleinert P, Schmid M, Zurbriggen K, Speer O, Schmugge M, Roschitzki B, Durka SS, Leopold U, Kuster T, Heizmann CW, Frischknecht H, Troxler H.

Mass spectrometry: a tool for enhanced detection of hemoglobin variants.

Clin Chem. 2008 Jan;54(1):69-76.

Moeller A, Lehmann A, Knauer N, Albisetti M, Rochat M, Johannes W.

Effects of montelukast on subjective and objective outcome measures in preschool asthmatic children.

Pediatr Pulmonol. 2008 Feb;43(2):179-86.

Cannizzaro E, Albisetti M, Wohlrab G, Schmugge M.

Severe bleeding complications during antiepileptic treatment with valproic acid in children.

Neuropediatrics. 2007 Feb;38(1):42-5.

Bontadelli J, Moeller A, Schmugge M, Schraner T, Kretschmar O, Bauersfeld U, Bernet-Buettiker V, Albisetti M.

Enoxaparin therapy for arterial thrombosis in infants with congenital heart disease.

Intensive Care Med. 2007 Nov;33(11):1978-84.

Albisetti M, Moeller A, Waldvogel K, Bernet-Buettiker V, Cannizzaro V, Anagnostopoulos A, Balmer C, Schmugge M.

Congenital prothrombotic disorders in children with peripheral venous and arterial thromboses.

Acta Haematol. 2007;117(3):149-55.

K. Rouss, A. Gerber, M. Albisetti, M. Hug, and V. Bernet,

Long-term subcutaneous morphine administration after surgery in newborns.

J Perinat Med 35 (2007) 79-81.

Schmugge M, Bang A, Blanchette VS, Albisetti M, Connolly BL, Freedman J, Rand ML.

von Willebrand factor binding to platelets and platelet activation in newborn infants with central venous lines.

Acta Haematol 117 (2007) 145-148.

Bernet-Buettiker V, Waldvogel K, Cannizzaro V, and Albisetti M.
Antithrombin activity in children with chylothorax.
Eur J Cardiothorac Surg 29 (2006) 406-409.

Albisetti M.
Thrombolytic therapy in children.
Thromb Res 118 (2006) 95-105.

Albisetti M, Moeller A, Waldvogel K, Bernet-Buettiker V, Cannizzaro V, Anagnostopoulos A, Balmer C, and Schmutz M.
Congenital Prothrombotic Disorders in Children with Peripheral Venous and Arterial Thrombosis.
Acta Haematol 117 (2006) 149-155.

Cannizzaro V, Berger F, Kretschmar O, Saurenmann R, Knirsch W, and Albisetti M.
Thrombolysis of venous and arterial thrombosis by catheter-directed low-dose infusion of tissue plasminogen activator in children.
J Pediatr Hematol Oncol 27 (2005) 688-691.

Zurbriggen K, Schmutz M, Schmid M, Durka S, Kleinert P, Kuster T, Heizmann CW, Troxler H.
Analysis of Minor Hemoglobins with MALDI-TOF Mass Spectrometry.
Clinical Chemistry 51 (2005) 989-996.

Frischknecht H, Kiewitz R, Schmutz M.
A 4 base pair TGAT insertion at codon 116 of the beta globin gene causes β^0 – Thalassemia.
Haematologica 90 (2005) Suppl: ECR20.

Albisetti M, Schmutz M, Haas R, Eckhardt BP, Bauersfeld U, Baenziger O, Hug MI.
Arterial thromboembolic complications in critically ill children.
J Crit Care 20 (2005) 296-300.

Albisetti M, Chan AK, McCrindle BW, Wong D, Monagle P, and Andrew M.
Impaired fibrinolytic activity is present in children with dyslipidemias.
Pediatr Res 55 (2004) 576-580.

Albisetti M, Lauener RP, Gungor T, Schar G, Niggli FK, and Nadal D.
Disseminated Fusarium oxysporum infection in hemophagocytic lymphohistiocytosis.
Infection 32 (2004) 364-366.

Schmutz M, Dunn MS, Amankwah KS, Blanchette VS, Freedman J, Rand ML.
The activity of the von Willebrand factor cleaving protease ADAMTS-13 in newborn infants.
J Thromb Haemost 2 (2004) 228-233.

Nurden AT, Breillat C, Bourre F, Lillicrap D, Wang H, Blanchette VS, Schmugge M, Rand ML.
Triple Heterozygosity in the α IIb gene of a patient with Glanzmann thrombasthenia and platelets with a low α IIb β 3 content.
J Thromb Haemost 2 (2004) 813-819.

Kellenberger CJ, Schmugge M, Saurenmann T, Eber S, Willi UV, Babyn PS.
Radiographic and MRI Features of Deferiprone (L1) Related Arthropathy of the Knees in Patients with beta-Thalassemia.
AJR 183 (2004) 989-994.

Toelle SP, Boltshauser E, Mossner E, Zurbriggen K, Eber S.
Severe neurological impairment in hereditary methaemoglobinaemia type 2.
Eur J Pediatr 163 (2004) 207-9

Monagle P, Chan AK, Albisetti M, Vegh P, Andrew M, and Mitchell L.
Fibrinolytic system in adolescents: response to venous occlusion stress tests.
Pediatr Res 53 (2003) 333-337.

Albisetti M, Chan AK, McCrindle BW, Wong D, Vegh P, Adams M, Dinyari M, Monagle P, and Andrew M.
Fibrinolytic response to venous occlusion is decreased in patients after Kawasaki disease.
Blood Coagul Fibrinolysis 14 (2003) 181-186.

Albisetti M.
The fibrinolytic system in children.
Semin Thromb Hemost 29 (2003) 339-348.

Risch L, Fischer JE, Schmugge M, Huber AR.
Association of anti-heparin platelet factor 4 antibody levels and thrombosis in pediatric intensive care patients without thrombocytopenia.
Blood Coag Fibrinolysis 14 (2003) 113-116.

Schmugge M, Rand ML, Bang A, Mody M, Dunn MS, Amankwah KS, Blanchette VS, Freedman J.
The relationship of von Willebrand factor binding to activated platelets from healthy neonates and adults.
Pediatr Res 54 (2003) 474-479.

Schmugge M, Revel-Vilk S, Hiraki L, Rand ML, Blanchette VS, Silverman ED.
Thrombocytopenia and thromboembolism in pediatric systemic lupus erythematosus.
J Pediatr 143 (2003) 666-669.

M. Albisetti, and M. Andrew.
Low molecular weight heparin in children
Eur J Pediatr 161 (2002) 71-77.

Schmugge M, Risch L, Benn A, Huber AR, Fischer JE.

Heparin-induced thrombocytopenia associated thrombosis in pediatric intensive care patients.

Pediatrics 109 (2002) e10.

Schmugge M, Frischknecht H, Yonekawa Y, Baumgartner RW, Boltshauser E, Humbert J.

Stroke in hemoglobin SD disease with moyamoya: Successful hydroxyurea treatment after cerebrovascular bypass surgery.

Blood 97 (2001) 2165-2167.

Schmugge M, Plüss HJ, Boltshauser E, Niggli FK.

Long term follow-up and residual sequelae after treatment for intracerebral germ cell tumour in children and adolescents.

Ann Oncol 11 (2000) 527-533.

Ruan J, Schmugge M, Clemetson K, Cazes E, Bourre F, Nurden AT.

Homozygous CYS542 --> ARG mutation of the GPIIIa gene in a Swiss patient with type I Glanzmann's thrombasthenia.

Br J Haematol 105 (1999) 523-531.

S. P. Toelle, M. Albisetti, D. Holzmann, and M. Steinlin.

A 9-year-old girl who swung on a rope.

Lancet 350 (1997) 1516.

R. P. Lauener, S. Huttner, M. Buisson, J. P. Hossle, M. Albisetti, J. M. Seigneurin, R. A. Seger, and D. Nadal.

T-cell death by apoptosis in vertically human immunodeficiency virus-infected children coincides with expansion of CD8⁺/interleukin-2 receptor-/HLA-DR⁺ T cells: sign of a possible role for herpes viruses as cofactors?

Blood 86 (1995) 1400-1407.