

Wissenschaftliche Publikationen Neuroonkologie, 2009 - 2014

Shalaby T, Fiaschetti G, Baumgartner M, Grotzer MA. Significance and therapeutic value of miRNAs in embryonal neural tumors. **Molecules**. 2014;19(5):5821-62.

Unsinn C, Neidert MC, Burkhardt JK, Holzmann D, Grotzer M, Bozinov O. Sellar and parasellar lesions - Clinical outcome in 61 children. **Clin Neurol Neurosurg**. 2014;123:102-8.

Fiaschetti G, Schroeder C, Castelletti D, Arcaro A, Westermann F, Baumgartner M, Shalaby T, Grotzer MA. NOTCH ligands JAG1 and JAG2 as critical pro-survival factors in childhood medulloblastoma. **Acta Neuropathol Commun**. 2014;2:39. doi: 10.1186/2051-5960-2-39.

Ma M and Baumgartner M, Morphed and moving: TNF α -driven motility promotes cell dissemination through MAP4K4-induced cytoskeleton remodeling. **Microbial Cell** 2014;1(5):154-157.

Ma M, Baumgartner M. Intracellular *Theileria annulata* promote invasive cell motility through kinase regulation of the actin cytoskeleton. **PLoS Pathog**. 2014;10(3):e1004003.

Tonder M, Rushing EJ, Grotzer M, Sürücü O, Valavanis A, Buck A, Weller M, Roth P. Clinical reasoning: a 30-year-old woman with recurrent seizures and a cerebral lesion progressing over 2 decades. **Neurology**. 2014;82(7):e56-60.

Fiaschetti G, Abela L, Nonoguchi N, Dubuc AM, Remke M, Boro A, Grunder E, Siler U, Ohgaki H, Taylor MD, Baumgartner M, Shalaby T, Grotzer MA. Epigenetic silencing of miRNA-9 is associated with HES1 oncogenic activity and poor prognosis of medulloblastoma. **Br J Cancer**. 2014;110(3):636-47.

Hauri DD, Spycher B, Huss A, Zimmermann F, Grotzer M, von der Weid N, Spoerri A, Kuehni CE, Rösli M; Swiss National Cohort; Swiss Paediatric Oncology Group. Exposure to radio-frequency electromagnetic fields from broadcast transmitters and risk of childhood cancer: a census-based cohort study. **Am J Epidemiol**. 2014;179(7):843-51.

Pajtler KW, Weingarten C, Thor T, Künkele A, Heukamp LC, Büttner R, Suzuki T, Miyata N, Grotzer M, Rieb A, Sprüssel A, Eggert A, Schramm A, Schulte JH. The KDM1A histone demethylase is a promising new target for the epigenetic therapy of medulloblastoma. **Acta Neuropathol Commun**. 2013;1(1):19. doi: 10.1186/2051-5960-1-19.

Shalaby T, Fiaschetti G, Nagasawa K, Shin-ya K, Baumgartner M, Grotzer M. G-quadruplexes as potential therapeutic targets for embryonal tumors. **Molecules**. 2013;18(10):12500-37.

Ma Min and Baumgartner M. Filopodia and membrane blebs drive efficient matrix invasion of macrophages transformed by the intracellular parasite *Theileria annulata*. **PLoS One** 2013;8(9):e75577.

Hauri D, Spycher B, Huss A, Zimmermann F, Grotzer M, von der Weid N, Weber D, Spoerri A, Kuehni CE, Rössli M; Swiss National Cohort; Swiss Paediatric Oncology Group (SPOG). Domestic radon exposure and risk of childhood cancer: a prospective census-based cohort study. **Environ Health Perspect.** **2013**;121(10):1239-44.

Poretti A, Meoded A, Cohen KJ, Grotzer MA, Boltshauser E, Huisman TA. Apparent diffusion coefficient of pediatric cerebellar tumors: a biomarker of tumor grade? **Pediatr Blood Cancer.** **2013**;60(12):2036-41.

Zeilhofer UB, Scheer I, Warmuth-Metz M, Rushing EJ, Pietsch T, Boltshauser E, Grotzer MA, Gerber NU. Natural history of a medulloblastoma: 30 months of wait and see in a child with a cerebellar incidentaloma. **Childs Nerv Syst.** **2013**;29(7):1207-1210.

Wille DA, Bozinov O, Scheer I, Grotzer MA, Boltshauser E. Isolated intraspinal juvenile xanthogranuloma in an infant presenting as acute paraplegia. **Neuropediatrics.** **2013**;44(3):171-3.

Tarek Shalaby, Martin Baumgartner Giulio Fiaschetti and Michael Grotzer, "MicroRNAs in Medulloblastoma" in MicroRNAs in Cancer; **CRC Press, César Lopez-Camarillo (Editor), February 2013.**

Abela L, Rushing EJ, Ares C, Scheer I, Bozinov O, Boltshauser E, Grotzer MA. Pediatric papillary tumors of the pineal region: to observe or to treat following gross total resection? **Childs Nerv Syst.** **2013**;29(2):307-10.

Burkhardt JK, Neidert MC, Grotzer MA, Krayenbühl N, Bozinov O. Surgical resection of pediatric skull base meningiomas. **Childs Nerv Syst.** **2013**;29(1):83-7.

Wojtalla A, Salm F, Christiansen DG, Cremona T, Cwiek P, Shalaby T, Gross N, Grotzer MA, Arcaro A. Novel agents targeting the IGF-1R/PI3K pathway impair cell proliferation and survival in subsets of medulloblastoma and neuroblastoma. **PLoS One.** **2012**;7(10):e47109.

Schneider C, Vosbeck J, Grotzer MA, Boltshauser E, Kothbauer KF. Anaplastic ganglioglioma: a very rare intramedullary spinal cord tumor. **Pediatr Neurosurg.** **2012**;48(1):42-7.

Künkele A, De Preter K, Heukamp L, Thor T, Pajtler KW, Hartmann W, Mittelbronn M, Grotzer MA, Deubzer HE, Speleman F, Schramm A, Eggert A, Schulte JH. Pharmacological activation of the p53 pathway by nutlin-3 exerts anti-tumoral effects in medulloblastomas. **Neuro Oncol.** **2012**;14(7):859-69.

Ruegg CS, von der Weid NX, Rebholz CE, Michel G, Zwahlen M, Grotzer M, Kuehni CE; Swiss Paediatric Oncology Group (SPOG). Daily physical activities and sports in adult survivors of childhood cancer and healthy controls: a population-based questionnaire survey. **PLoS One.** **2012**;7(4):e34930.

Poretti A, Grotzer MA. Neuroblastoma with spinal cord compression: is there an emergency treatment of choice? **Dev Med Child Neurol.** **2012**;54(4):297-8.

Gerber NU, von Hoff K, von Bueren AO, Treulieb W, Deinlein F, Benesch M, Zwiener I, Soerensen N, Warmuth-Metz M, Pietsch T, Mittler U, Kuehl J, Kortmann RD, Grotzer MA, Rutkowski S. A long duration of the prediagnostic symptomatic interval is not associated with an unfavourable prognosis in childhood medulloblastoma. **Eur J Cancer.** 2012;48(13):2028-36.

Kuehni CE, Strippoli MP, Rueegg CS, Rebholz CE, Bergstraesser E, Grotzer M, von der Weid NX, Michel G; Swiss Pediatric Oncology Group (SPOG). Educational achievement in Swiss childhood cancer survivors compared with the general population. **Cancer.** 2012;118(5):1439-49.

Boller D, Doepfner KT, De Laurentiis A, Guerreiro AS, Marinov M, Shalaby T, Depledge P, Robson A, Saghir N, Hayakawa M, Kaizawa H, Koizumi T, Ohishi T, Fattet S, Delattre O, Schweri-Olac A, Höland K, Grotzer MA, Frei K, Spertini O, Waterfield MD, Arcaro A. Targeting PI3KC2 β impairs proliferation and survival in acute leukemia, brain tumours and neuroendocrine tumours. **Anticancer Res.** 2012;32(8):3015-27.

Lv SQ, Kim YH, Giulio F, Shalaby T, Nobusawa S, Yang H, Zhou Z, Grotzer M, Ohgaki H. Genetic alterations in microRNAs in medulloblastomas. **Brain Pathol.** 2012;22(2):230-9.

Turato C, Buendia MA, Fabre M, Redon MJ, Branchereau S, Quarta S, Ruvoletto M, Perilongo G, Grotzer MA, Gatta A, Pontisso P. Over-expression of SERPINB3 in hepatoblastoma: a possible insight into the genesis of this tumour? **Eur J Cancer.** 2012;48(8):1219-26.

Kühni-Boghenbor K, Ma M, Lemgruber L, Cyrklaff M, Frischknecht F, Gaschen V, Stoffel M, Baumgartner M. Actin-mediated plasma membrane plasticity of the intracellular parasite *Theileria annulata*. **Cellular Microbiology** 2012;14(12):1867-79.

Witschi M, Xia D, Sanderson S, Baumgartner M, Wastling JM, Dobbelaere DA. Proteomic analysis of the *Theileria annulata* schizont. **Int J Parasitol.** 2012;doi:pii: S0020-7519(12)00297-4.

Lv SQ, Kim YH, Giulio F, Shalaby T, Nobusawa S, Yang H, Zhou Z, Grotzer M, Ohgaki H. Genetic alterations in microRNAs in medulloblastomas. **Brain Pathol.** 2012;22(2):230-9.

Perret C, Boltshauser E, Scheer I, Kellenberger CJ, Grotzer MA. Incidental findings of mass lesions on neuroimages in children. **Neurosurg Focus.** 2011;31(6):E20.doi: 10.3171/2011.9.FOCUS11121.

Aydin D, Feychting M, Schüz J, Tynes T, Andersen TV, Schmidt LS, Poulsen AH, Johansen C, Prochazka M, Lannering B, Klæboe L, Eggen T, Jenni D, Grotzer M, Von der Weid N, Kuehni CE, Rössli M. Mobile phone use and brain tumors in children and adolescents: a multicenter case-control study. **J Natl Cancer Inst.** 2011;103(16):1264-76.

Oehler C, von Bueren AO, Furmanova P, Broggin-Tenzer A, Orlowski K, Rutkowski S, Frei K, Grotzer MA, Pruschy M. The microtubule stabilizer patupilone (epothilone B) is a potent radiosensitizer in medulloblastoma cells. **Neuro Oncol.** 2011;13(9):1000-10.

Grunder E, D'Ambrosio R, Fiaschetti G, Abela L, Arcaro A, Zuzak T, Ohgaki H, Lv SQ, Shalaby T, Grotzer M. MicroRNA-21 suppression impedes medulloblastoma cell migration. **Eur J Cancer.** 2011;47(16):2479-90.

Guerreiro AS, Fattet S, Kulesza DW, Atamer A, Elsing AN, Shalaby T, Jackson SP, Schoenwaelder SM, Grotzer MA, Delattre O, Arcaro A. A sensitized RNA interference screen identifies a novel role for the PI3K p110 γ isoform in medulloblastoma cell proliferation and chemoresistance. **Mol Cancer Res.** 2011;9(7):925-35.

Faoro D, von Bueren AO, Shalaby T, Sciuscio D, Hürlimann ML, Arnold L, Gerber NU, Haybaeck J, Mittelbronn M, Rutkowski S, Hegi M, Grotzer MA. Expression of O⁶-methylguanine-DNA methyltransferase in childhood medulloblastoma. **J Neurooncol.** 2011;103(1):59-69.

von Bueren AO, Oehler C, Shalaby T, von Hoff K, Pruschy M, Seifert B, Gerber NU, Warmuth-Metz M, Stearns D, Eberhart CG, Kortmann RD, Rutkowski S, Grotzer MA. c-MYC expression sensitizes medulloblastoma cells to radio- and chemotherapy and has no impact on response in medulloblastoma patients. **BMC Cancer.** 2011;11:74.

Fiaschetti G, Castelletti D, Zoller S, Schramm A, Schroeder C, Nagaishi M, Stearns D, Mittelbronn M, Eggert A, Westermann F, Ohgaki H, Shalaby T, Pruschy M, Arcaro A, Grotzer MA. Bone morphogenetic protein-7 is a MYC target with prosurvival functions in childhood medulloblastoma. **Oncogene.** 2011;30(25):2823-35.

Fiaschetti G, Grotzer MA, Shalaby T, Castelletti D, Arcaro A. Quassinoids: From traditional drugs to new cancer therapeutics. **Curr Med Chem.** 2011;18(3):316-28.

Martin Baumgartner, *Theileria annulata* promotes Src kinase-dependent host cell polarisation by manipulating actin dynamics in podosomes and lamellipodia. **Cellular Microbiology** 2011;13(4):538-53.

Castelletti D, Fiaschetti G, Di Dato V, Ziegler U, Kumps C, De Preter K, Zollo M, Speleman F, Shalaby T, De Martino D, Berg T, Eggert A, Arcaro A, Grotzer MA. The quassinoid derivative NBT-272 targets both the AKT and ERK signaling pathways in embryonal tumors. **Mol Cancer Ther.** 2010;9(12):3145-57.

Sutter R, Shakhova O, Bhagat H, Behesti H, Sutter C, Penkar S, Santuccione A, Bernays R, Heppner FL, Schüller U, Grotzer M, Moch H, Schraml P, Marino S. Cerebellar stem cells act as medulloblastoma-initiating cells in a mouse model and a neural stem cell signature characterizes a subset of human medulloblastomas. **Oncogene.** 2010;29(12):1845-56.

Shalaby T, von Bueren AO, Hürlimann ML, Fiaschetti G, Castelletti D, Masayuki T, Nagasawa K, Arcaro A, Jelesarov I, Shin-ya K, Grotzer M. Disabling c-Myc in childhood medulloblastoma and atypical teratoid/rhabdoid tumor cells by the potent G-quadruplex interactive agent S2T1-6OTD. **Mol Cancer Ther.** 2010;9(1):167-79.

Shalaby T, Hiyama E, Grotzer MA. Telomere maintenance as therapeutic target in embryonal tumours. **Anticancer Agents Med Chem.** **2010**;10(3):196-212. Review. PubMed PMID: 20017721.

Marie Chaussepied, Natacha Janski, Martin Baumgartner, Regina Lizundia, Kirsty Jensen², Jonathan B. Weitzman, Elizabeth J. Glass, Dirk Werling & Gordon Langsley G. Differential TGF- β induction regulates invasiveness of Theileria-transformed leukocytes and disease susceptibility, **PLOS Pathog**, **2010**;6(11):e1001197.

von Hoff K, Hartmann W, von Bueren AO, Gerber NU, Grotzer MA, Pietsch T, Rutkowski S. Large cell/anaplastic medulloblastoma: outcome according to myc status, histopathological, and clinical risk factors. **Pediatr Blood Cancer.** **2010**;54(3):369-76.

Grotzer MA, Castelletti D, Fiaschetti G, Shalaby T, Arcaro A. Targeting Myc in pediatric malignancies of the central and peripheral nervous system. **Curr Cancer Drug Targets.** **2009**;9(2):176-88.

Gruber-Olipitz M, Ströbel T, Kang SU, John JP, Grotzer MA, Slavc I, Lubec G. Neurotrophin 3/TrkC-regulated proteins in the human medulloblastoma cell line DAOY. **Electrophoresis.** **2009**;30(3):540-9.

von Bueren AO, Shalaby T, Oehler-Jänne C, Arnold L, Stearns D, Eberhart CG, Arcaro A, Pruschy M, Grotzer MA. RNA interference-mediated c-MYC inhibition prevents cell growth and decreases sensitivity to radio- and chemotherapy in childhood medulloblastoma cells. **BMC Cancer.** **2009**;9:10. doi: 10.1186/1471-2407-9-10.

Baumgartner M. (corresponding author), Weiss A., Fritzius T., Heinrich J. and Moelling K. The PDZ protein MPP2 interacts with c-Src in epithelial cells. **Exp Cell Res.** **2009**;315(17):2888-98.